



STATE OF ALABAMA

DEPARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID

INVITATION TO BID NO: 10-R-2216692

REQ. AGENCY : 012080
ALDOT - SIGN SHOP
AGENCY REQ. NO. : G38-003448
T-NUMBER :
DATE ISSUED : 02/03/10
VENDOR NO. :
VENDOR PHONE NO. :
SNAP REQ. NO. : 1435553
BUYER NAME : CRIST WATTS

FOR: BARRICADES TYPE III

BUYER PHONE NO. : (334) 242-4291-
PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE:
DATE: 02/24/10 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 02/25/10 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE
MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER
2. TERMS: _____(DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.
4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)
5. E-MAIL ADDRESS: _____
INTERNET WEBSITE: _____
6. GENERAL CONTRACTOR'S LICENSE NO: _____
TYPE OF G.C. LICENSE: _____

***** IMPORTANT NOTE: *****

BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE
ITEM 7 - COPY REQUIREMENT.

RETURN INVITATION TO BID:

US MAIL

COURIER

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING
P O BOX 302620
MONTGOMERY, AL 36130-2620

STATE OF ALABAMA
DIVISION OF PURCHASING
RSA UNION BUILDING
100 N. UNION ST., SUITE 192
MONTGOMERY, AL 36104

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED.
I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN
RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO
REFRAIN FROM BIDDING.

SWORN TO AND

FEIN OR SSN

AUTHORIZED SIGNATURE (INK)

SUBSCRIBED BEFORE ME THIS

COMPANY NAME

TYPE/PRINT AUTHORIZED NAME

_____ DAY OF _____

MAIL ADDRESS

TITLE

NOTARY PUBLIC

CITY, STATE, ZIP

TOLL FREE NUMBER

TERM EXP: _____

PHONE INCLUDING AREA CODE

FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-R-2216692

PAGE 2

INVITATION TO BID

OPEN DATE : 02/25/10 TIME: 10:00 AM

RETURN DATE: 02/24/10 TIME: 5:00 PM

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF THIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY AND WOMEN-OWNED BUSINESSES IN ACQUIRING M/WBE CERTIFICATION MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS

REV: 01/14/10

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.
8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
BID RECEIVED LATE
BID NOT SIGNED/NOT ORIGINAL SIGNATURE
BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
NOTARIZED OWN SIGNATURE
REQUIRED INFORMATION NOT SUBMITTED WITH BID
FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-R-2216692

OPEN DATE : 02/25/10 TIME: 10:00 AM

RETURN DATE: 02/24/10 TIME: 5:00 PM

PAGE 3

INVITATION TO BID

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

ITB NO. : 10-R-2216692

OPEN DATE : 02/25/10 TIME: 10:00 AM

RETURN DATE: 02/24/10 TIME: 5:00 PM

PAGE 4

INVITATION TO BID

AWARD:

THE AWARD SHALL BE MADE TO THE LOWEST RESPONSIBLE BIDDER MEETING
ALL SPECIFICATIONS.

DELIVERY TIME FRAME:

ALL ITEMS ORDERED MUST BE DELIVERED TO THE "SHIP TO" ADDRESS SHOWN ON
THE P.O. WITHIN THIRTY (30) DAYS OF VENDOR'S RECEIPT OF ORDER.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN
THE BID PRICES.

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-R-2216692

PAGE 5

OPEN DATE : 02/25/10 TIME: 10:00 AM

RETURN DATE: 02/24/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
UNLESS SPECIFIED OTHERWISE BELOW:					
SHIP TO: 012080 / 012M01					
ALDOT - SIGN SHOP					
SHOP FOREMAN					
523 TRAFFIC OPER DR					
MONTGOMERY AL 36110					
00001	COMMODITY CODE: 550-78-080811 BARRICADE, TYPE III DIRECTION INDICATOR	100	EA		
FIFTY (50) LEFT, FIFTY (50) RIGHT.					
PER PROVIDED SPECIFICATIONS					

PAGE TOTAL

BID TOTAL

Specification on Packaged Units of Type III Barricades

Special Instructions: The vendor whose bid is awarded will package all components used in the Type III Barricade together as a single unit. Each unit should contain three boards with sheeting applied, feet and uprights, and necessary hardware for mounting. Boards will be slip sheeted to prevent reflective sheeting being damaged. Finished unit of issue will be banded together for shipment and labeled as to whether it is a right or left barricade.


Items not packaged in this manner will not be received and will be the responsibility of the vendor for transportation costs incurred and/or returned.

Ship To: Ala. Dept. of Trans. Sign Shop
Shop Foreman
523 Traffic Operations Drive
Montgomery, Al. 36110

Bill To: Same as "Ship To"

1 OF 2

TYPE I



FRONT VIEW


SIDE VIEW

- ① 4 EACH 4'-0" LONG, 12 GA. STEEL ANGLE, 1 1/2" x 1 1/2" x 1/2" FRAME DESIGN
- ② 4 EACH 3'-0" LONG, 10" WIDE, 1/2" PLYWOOD OR 1/2" WATTLEBOARD

GENERAL NOTES

1. STRIPES SHALL BE AN ANGLE OF 45° WITH THE VERTICAL, BLANKET DOWNWARD TOWARD THE SIDE WHICH TRAFFIC IS TO PASS. AT LOCATIONS WHERE THE BARRICADE IS PLACED IN THE CENTER OF THE ROAD, THE STRIPES SHALL BE PLACED IN THE CENTER OF THE BARRICADE ON BOTH SIDES.
2. SEE THE B.U.T.C.O., PART 6, MILEPOST EDITION FOR ERECTION LOCATIONS AND OTHER PERTINENT DATA.
3. THE HORIZONTAL PANELS ARE DESIGNED TO BE STRIPPED IDENTICALLY AND SPACED AS INDICATED, SEE THE DIAGRAM. STRIPES ON EACH PANEL ARE LINED UP TO REFLECT A CONTINUOUS STRIPE FROM THE TOP PANEL TO THE BOTTOM PANEL. PANELS WILL BE INTERCHANGABLE.
4. THE ROAD CLOSED AND DETOUR SIGNS SHALL BE PLACED ON THE SIDE OF THE BARRICADE NEAREST THE DIRECTION OF THE DETOUR.


TYPE II



FRONT VIEW

SIDE VIEW

- ① 4 EACH 4'-0" LONG, 12 GA. STEEL ANGLE, 1 1/2" x 1 1/2" x 1/2" FRAME DESIGN
- ② 4 EACH 3'-0" LONG, 10" WIDE, 1/2" PLYWOOD OR 1/2" WATTLEBOARD




FRONT VIEW

SIDE VIEW

1. IN SITUATIONS WHERE A PORTABLE DEVICE IS NECESSARY, PANEL SHALL BE MOUNTED ON TWO POSTS.
2. ONLY WHEN SPACE IS LIMITED.
3. PANEL SHALL BE REFLECTORIZED USING TYPE III REFLECTORIZED SHEETING.
4. WHEN CONDITIONS WARRANT THE PANEL MAY BE MOUNTED FLUSH WITH OR FLUSH LEFT OR THE POST TO AVOID ENCRUMBING THE TRAVELWAY.

TYPE I VERTICAL PANEL

TYPE II VERTICAL PANEL



- ① 2 EACH 5'-0" LONG, 1 1/2" x 1 1/2", 10 GA. ANGLE BASES ALL STEEL TO BE HIGH-CARBON, HOT ROLLED STEEL.
- ② 2 EACH UPRIGHT 5'-3" TALL UPRIGHTS 1 1/2" x 1 1/2", 10 GA. ALL STEEL TO BE HIGH-CARBON, HOT ROLLED STEEL.
- ③ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ④ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑤ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑥ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑦ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑧ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑨ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑩ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑪ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑫ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑬ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑭ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑮ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑯ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑰ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑱ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑲ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ⑳ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉑ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉒ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉓ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉔ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉕ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉖ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉗ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉘ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉙ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉚ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉛ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉜ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉝ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉞ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㉟ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊱ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊲ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊳ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊴ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊵ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊶ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊷ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊸ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊹ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊺ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊻ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊼ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊽ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊾ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.
- ㊿ 2 EACH 1'-0" FILLET WELD-AFTER WELDING COMPLETE AREA SHALL BE RE-GALVANIZED IN ACCORDANCE WITH THE AASHTO SPECIFICATIONS.

NOTE: ANY MANUFACTURER, CONTRACTOR, SUBCONTRACTOR, VENDOR OR STATE AGENCY, MAY BUILD AND/OR SUPPLY THESE TYPE I BARRICADES, AND CERTIFY THAT THEY CONFORM TO THE DESIGN AND SPECIFICATIONS OF THIS DRAWING.

OTHER DESIGNS MEETING THE PANEL WIDTH AND LENGTH AND BARRICADE HEIGHT DIMENSIONS SHOWN ON THIS DRAWING MAY BE SUPPLIED PROVIDED THEY HAVE BEEN SUCCESSFULLY CHURN TESTED IN ACCORDANCE WITH AASHTO REQUIREMENTS FOR THE BARRICADE AND ANY LIGHT OR SIGN COMBINATION.

DESIGN BUREAU SPECIAL DRAWING ALABAMA DEPARTMENT OF TRANSPORTATION 1000 COLLETTA BUILDING MONTGOMERY, AL 36103-0000	
SHEET NO. 201-2 DATE 05-23-00	PROJECT NO. 201-2 YEAR 2000
PERFORATED SQUARE STEEL TUBING (PSST) BARRICADE TYPE I, TYPE II, TYPE III & VERTICAL PANELS TYPE I AND TYPE II	
B-101-2	

20#2